

**AMENDMENTS TO THE CLAIMS**

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (original) An apparatus for use in accessing online services over a communications network, the apparatus comprising:

a store for storing profile data for use in relation to said online services;

an interface for use by suppliers of online services to enable retrieval from and input to said store of profile data in respect of users;

identity management means; and

a profile access controller arranged to implement user-defined access controls in respect of a user's stored profile data,

wherein said identity management means are triggerable to allocate or to cease a pseudo-identifier in respect of a user and a selected service provider and wherein, in use, said profile access controller restricts access by the selected service provider to stored profile data in respect of said user by means of said pseudo-identifier.

2. (original) An apparatus according to Claim 1 further comprising monitoring means arranged with access to messages originating from a user and to recognise a predetermined type of information contained within said messages.

3. (original) An apparatus according to Claim 2, further comprising means responsive to a recognition by said monitoring means to replace information of said recognised type in a message originating from a user with pseudo-information generated by said identity management means in respect of said user.

4. (currently amended) An apparatus according to Claim 2 ~~or Claim 3~~, operable, on receipt of a request message from a user for access to a specified service provider, to generate an access request message, for sending to said specified service

provider, containing an identifier for said user allocated by said identity management means.

5. (original) An apparatus according to Claim 4, wherein said allocated identifier for said user is a pseudo-identifier allocated by said identity management means.

6. (currently amended) An apparatus according to ~~any one of the preceding claims~~ claim 1, further comprising a user interface operable to enable a user to update respective profile data stored in said store and to define said access controls for implementation by said profile access controller.

7. (currently amended) An apparatus according to ~~any one of the preceding claims~~ claim 1 wherein said profile access controller is operable to recognise at least one predetermined invalid access condition with respect to stored profile data for a user and wherein the identity management means are responsive to said recognition by said profile access controller, and/or to a trigger signal from the user, to render a pseudo-identifier invalid for a respective service provider and hence to disable access by the respective service provider to profile data stored in respect of the user.

8. (currently amended) An apparatus according to ~~any one of the preceding claims~~ claim 1, for use in the role of a proxy server disposed between a user and a service provider.

9. (currently amended) An apparatus according to ~~any one of the preceding claims~~ claim 1, further comprising:

profile data analysis means operable to identify, in stored profile data, information likely to compromise user anonymity.

10. (original) An apparatus according to Claim 9, wherein the profile data analysis means are operable, on identifying information likely to compromise user anonymity, to generate a warning message.

11. (currently amended) An apparatus according to Claim 9 ~~or Claim 10~~, wherein the profile data analysis means are operable to compare a type of data stored

by a service provider in respect of a user with a data type to which the user has granted access permission for that service provider.

12. (currently amended) An apparatus according to ~~any one of claims 9 to 11~~ claim 9, wherein the profile data analysis means are operable to detect distinctive characteristics in stored user profile data.

13. (original) An apparatus according to Claim 12, wherein the profile data analysis means are operable to detect said distinctive characteristics by comparing data contained in a user's profile with data contained in other user profiles.

14. (original) An apparatus according to Claim 12, wherein the profile data analysis means are operable to detect said distinctive characteristics by comparing data contained in a user's profile with predetermined data characteristics stored in a reference store.

15. (currently amended) An apparatus according to ~~any one of the preceding claims~~ claim 1, wherein said identity management means is arranged to allocate a different pseudo-identifier in respect of a user in respect of each of a plurality of different service providers.

16. (canceled)